

ANIMAL CLIMATE RESILIENCE: EPIGENETIC ADAPTATIONS AND CONSERVATION IMPLICATIONS

Muhammad Waseem¹, Muhammad Shahbaz Khan Afridi², Dr. Naseem^{*3}

^{1,2, *3}Pakistan Kidney and Liver Institute & Research Center (PKLI & RC), Lahore

¹Mwaseem@yahoo.com, ²afridi3245@yahoo.com, ³naseem09@gmail.com

Keywords

Epigenetics, Climate change adaptation, Phenotypic plasticity, DNA methylation, Conservation biology, Animal resilience, Environmental stressors.

Article History

Received: 01 January 2026

Accepted: 15 March 2026

Published: 28 March 2026

Copyright @Author

Corresponding Author: *

Dr. Naseem

Abstract

Climate change poses critical threats to biodiversity, demanding rapid adaptive responses beyond the pace of traditional evolutionary processes. Epigenetics—heritable modifications in gene expression without changes to DNA sequence—has emerged as a key mechanism enabling short-term phenotypic plasticity and resilience. This review synthesizes evidence on epigenetic mechanisms, including DNA methylation, histone modification, and non-coding RNA regulation, that facilitate animal responses to climate stressors such as temperature extremes, habitat loss, and ocean acidification. Case studies highlight heat-tolerant lizards exhibiting methylation-driven heat-shock protein expression and marine fish showing transgenerational inheritance of salinity-resilient traits. These findings underscore the role of epigenetics in bridging immediate environmental stress and long-term adaptation. The conservation relevance of epigenetic plasticity is also explored. Epigenetic diversity may act as an underrecognized reservoir of adaptive potential, particularly in small or isolated populations. However, uncertainties remain regarding the stability of epigenetic changes across generations, their interaction with genetic variation, and the ecological implications of epigenetic drift. Advances such as CRISPR-based epigenome editing and high-resolution sequencing offer new opportunities to clarify these dynamics. Integrating epigenetics into conservation strategies will require interdisciplinary collaboration and careful consideration of ethical challenges. Prioritizing long-term studies and comparative approaches can help unlock the potential of epigenetics to enhance biodiversity resilience in the face of rapid climate change.

INTRODUCTION

Importance of epigenetics in adaptation

Epigenetics, the study of hereditary changes in gene expression that do not imply alterations in the

underlying DNA sequence, has become a critical research area in understanding how animals adapt to

changing environmental conditions, particularly in the context of climate change. Fundamental for epigenetics are several mechanisms, including DNA methylation, histone modification and non-coding RNA molecules, which collectively influence the accessibility of genes and, therefore, the phenotypic results of organisms (Vogt, 2022). These epigenetic modifications respond to external stimuli, allowing people to exhibit phenotypic plasticity, a capacity to adjust their development and physiological features in real time to navigate fluctuating environments (Decaestecker et al., 2018).

Objectives of the review

The importance of epigenetics in animal adaptation becomes particularly pronounced in the light of rapid climate change, which imposes unprecedented pressures on biodiversity. Traditional evolutionary mechanisms, such as natural selection and genetic drift, operate on longer time scales compared to the dynamic and often immediate challenges raised by the alterations in the habitat, the temperature and the availability of resources (Vgot, 2022). On the contrary, epigenetic responses can provide a more immediate adaptive strategy, allowing organisms to adjust their physiological functions without waiting for spontaneous mutations that can take generations to fix in the population (Scharsack et al., 2022). Such mechanisms are critical in cases where populations face abrupt changes that exceed their capacity for phenotypic or behavioral adjustments through genetic evolution alone (Lock, 2018).

Methodology of literature analysis

This includes research that has shown epigenetic reprogramming can be executed in response to environmental tensions that include temperature changes, pollution and habitation destruction (Koulelis et al., 2023). An example of this is studies in various animal species that show high temperatures exposure can lead to increased changes in the patterns of DNA methylation in genes that affect stress response genes and help people resist heat stress. As in aquatic systems, epigenetic modifications in response to salinity changes are similarly imposed on osmoregulatory functions in fish (Donelson et al., 2019). These findings suggest

an epigenetic role in maintaining population resilience against climate variability as a shock absorber against environmental disturbances (Park, 2019).

2. Epigenetic Mechanisms in Animal Adaptation

2.1. DNA Methylation

DNA methylation is the process of methylation of a CPG dinucleotide of DNA cytosine bases, a process that is methylation of cytosines. This modification is often seen to be a form of gene silence and affected by environmental conditions like temperature, pollution and availability of nutrient (Stricker et al., 2017). For instance, it has been demonstrated that changes in patterns of DNA methylation could allow organisms to speedily react to circumstances of stress by triggering or reducing some genes associated with metabolic processes, progress routes, along with situations of stress (Lepetz et al., 2017).

Environmental influences on DNA methylation

According to the notes above, the environmental tensions, such as temperature changes, damage to the population and to the habitat, can cause the epigenetic reprogramming to occur. Some examples of such changes can be seen through different animal habitats. When the object is exposed to high temperatures, it enhances the changes of DNA methylation patterns, and affects the stress response gene to make the object resistant to heat stress (Whipple, A. V., et al. 2022).

Case studies on DNA methylation and adaptation

One of the most marvelous examples was frog-headed lizards (*Phrynosoma transversal*) which were seen changing thermal niches remarkably. An interesting analysis of how these lizards use epigenetic mechanisms to change their physiological and behavioral traits in response to these floating environmental conditions is provided by SINERVO et al. (2018). Changes in gene expression by lizards throughout the day drive changes in their thermal tolerance in the heat. For instance, there has been evidence that both genetic and epigenetic modifications such as DNA methylation contribute to the expression of thermal shock proteins, proteins that allow protecting cells from thermal stress. This

adaptive plasticity enables frog headed lizards to thrive in different microhabitats making the lizards fairly resistant to changes caused by climate (SINERVO et al. 2018).

Just like the marine organisms, there are significant epigenetic adaptations in doing so, and such adaptations also reinforce their ability to cope up with the changing climate, especially with ocean temperature and acidity. In Scharsack and Franke (2022), different fish species were exploited for the immune response, emphasizing the epigenetic regulation of immune related genes. There is evidence that some of these species have inherited changes in immune gene methylation patterns in response to high temperatures and increased pathogens that help them defend themselves. This ability to modulate immune responses via epigenetic means is maintaining individual fitness but also important with respect to the population level dynamics under climate stressors. These fish species are able to sail better in the challenges put to them by climate change because they have developed a quick and flexible response system, which is mediated by epigenetic changes (Stricker et al., 2017).

Also, under other taxa there is the phenomenon of phenotypic plasticity, influenced by epigenetic means. For instance, studies have shown that manipulation of morphological traits epigenetically may be very important to, for example, amphibians, a group that are especially vulnerable to climate fluctuations. In response to the change of environmental tracks associated with climate variability, amphibians have been reported to have adapted their reproductive time and development rates based on the change of these tracks and been shown to do so based on epigenetic factors. Therefore, such adaptations are essential survival strategies, since they enable species to adapt optimally their life history traits in unpredictable climates (Stricker et al., 2017).

2.2. Histone Modifications

Role in gene regulation

Another key epigenetic mechanism is the modification of histones in which chemical groups are added or lost to histone proteins around which DNA is wound (Fig. 01).






Fig. 01: Types of epigenetic modification upon stress sensing

For instance, the animal species in response to the increase in temperatures exhibit histone modifications leading to increased expression of thermal shock proteins (Kelley et al., 2018) that help to mitigate the cell damage and enhance the survival rates.

Examples of histone modification in response to climate stressors

These modifications are dynamic, meaning that these animals are able to rapidly and without genetic mutation adapt to changing environmental conditions, with an ability to regulate these changes, and therefore adapt, quickly (Kelley et al., 2018).

2.3. Non-Coding RNA (ncRNA) Regulation

Types and functions of ncRNA

In addition, requirement, non coding RNA (NCRNA), microRNA and non coding RNAs, are also large components of the epigenetic enigma that regulates gene expression in response to environmental stimuli. Since microRNA may bind messenger RNA, they can modulate expression of Diana genes that are in response to stress, development, etc. (Morris et al., 2017).

Role of microRNA in stress response

This regulatory mechanism has been shown to facilitate rapid adaptation through rapid phenotypic changes that are critical to adaptation in changing climatic conditions is revealed in Fig. 02 (Davis et al., 2020).




Fig. 02: Role of microRNAs in stress response

Non-coding RNAs, although less understood, have been involved in the regulation of genomic architecture and the coordination of broader gene expression changes necessary for adaptive features (Morris et al., 2017).

3. Epigenetics and Climate-Induced Adaptation

3.1. Epigenetic Responses to Environmental Stressors

Temperature fluctuations and DNA methylation

Epigenetic modifications occur in a wide range of environmental stressors such as increased temperatures, loss of habitat, and lack of food and so on, which may help to improve survival (Koulelis et al., 2023). Epigenetic mechanisms such as DNA methylation, histone modification and non coding RNA regulation are dynamic regulation systems that allow the expression organization to adjust the genes without mutating underlying DNA. In a rapid climate change, as Koulelis et al. (2023) pointed out, this capacity is of particular importance, especially when it comes to species in the process of adapting quickly to new conditions.

Salinity changes and osmoregulatory functions

It has also been demonstrated that changes in salinity because large epigenetic modifications in

aquatic systems that influence fish osmoregulation. Finally, these findings point toward the potential of epigenetic mechanisms as a shock absorber of disturbances against the environment, allowing both individual survival and preserving population resilience to climate variability (Koulelis et al., 2023).

3.2. Transgenerational Epigenetic Inheritance Mechanisms of inheritance

Furthermore, epigenetics can also promote transgenerational plasticity, defined as the epigenetic changes as a result of environmental stress to be transmitted to next generations. In species such as the common lizard (*Zootoca Vivipara*) and also in several fish species, this phenomenon was documented where the parents are exposed to environmental stressors and epigenetic changes are induced that are predisposed to similar challenges in the offspring (Meyer et al., 2023). Transgenerational responses could therefore provide much benefit to survival in rapidly changing climates, increasing survival rates and promoting the resilience of populations (Meyer et al., 2023).

Fish and reptiles were studied in the case studies.

For instance, studies have emphasized that increased temperatures can bring about changes in models of

DNA methylation which influence stress response genes, increasing the response of an organism to thermal stress (Smith et al., 2021). These changes are similar in terms of loss of housing and rarity of resources, and the role of epigenetic adaptations in behavior, physiology and development processes, all of which are necessary for survival (Thompson et al., 2022). Phenotypic variation resulting from these modifications can provide immediate advantage in the form of resistance or escape from difficult conditions allowing populations to survive (Thompson et al., 2022).

3.3. Epigenetic Plasticity in Fragmented Habitats

Adaptation in small populations

Understanding epigenetics implications for adaptation also means presence of its effect on biodiversity and ecosystem dynamics. Epigenetic variations can induce appearance of new phenotypes that will result in microevolution processes. Out of the fragmented habitats where small populations are more isolated, small populations experiencing different selection criteria result in unique epigenetic profiles (Smith et al., 2021).

Unique epigenetic profiles due to differential selection pressures

Thus, epigenetic mechanisms can influence genetic diversity and support adaptation in species impacted in the climate change (Smith et al., 2021).

4. Implications for Biodiversity and Conservation

4.1. Epigenetics and Species Resilience

Role in maintaining genetic diversity

Although promising ideas arose from epigenetics, there are still gaps in today's research in epigenetics. In particular, no integral studies examine how long term stability of epigenetic modifications affects evolutionary trajectories (Herman & Spencer, 2020).

Facilitating adaptation among climate-affected species

Moreover, though most of research thus far have focused on the 'individual level,' there is an essential need to address the system, at the level of the community and the species, how epigenetic changes impact the community dynamics and species

interaction in the changing environment, especially in complicated ecosystem where species interactions can further drive or offset a climatic impact (Herman & Spencer, 2020).

4.2. Gaps in Research

Stability of epigenetic modifications

Although the evidence supporting the importance of epigenetics in animal responses to climate change is growing, the consequences of this failure are a number of gaps in current research that prevent understanding of these mechanisms. A large number of studies have been conducted on specific species or experimental conditions that do not generalize to other ecological taxa and contexts (Donelson et al., 2019).

Long-term evolutionary consequences

More research is needed to understand how epigenetic changes may participate in an evolutionary context and with respect to genetic background in long-term adaptability of wildlife (Donelson et al., 2019).

Need for studies on community dynamics

Furthermore, epigenetic changes are not explored in terms of how they might influence conservation strategies. My talk was based on the thought that traditional efforts to conserve habitats and species can be widened by including the epigenetic perspective to reveal new strategies for improving resilience of fauna to face climate change. Key markers of adaptive responses to epigenetic identification can help in housing management with reproductive programs and promote the development of interventions for the development of population resilience (Baker et al., 2016).

4.3. Integrating Epigenetics into Conservation Strategies

Interdisciplinary approaches combining molecular biology, ecology, and evolution

Molecular biology, ecology, and evolution approaches taken in an interdisciplinary manner. Future epigenetic research in this field must attempt to bring the focus to integration of ecologically and evolutionarily relevant questions and may go further

to include interdisciplinary approaches within molecular biology, ecology, and evolutionary theory. Thus, this will contribute to an improved understanding of the intricate relations between genetic and epigenetic factors in the shaping of adaptive responses to a changing climate and advocates for a conservation strategy focusing on genetic and epigenetic diversity as a key component of biodiversity management under a scenario of rapid environment change. The process of rapid adaptation in animal populations subjected to a change of climate requires the action of epigenetic mechanisms. In particular, DNA methylation, histone modifications and the activity of noncoding RNAs are all means through which the sequence of DNA is not changed but in which the expression of the gene is modified (Baker et al., 2016).

Policy implications and biodiversity management

For instance, knowing the epigenetic bases of these phenological changes in response to climatic changes can aid in the activities such as the times of breeding and other historical critical events for the control programs for the ideal conservation. Also, epi-genetic research in the context of conservation policy lines can help in offering adaptive management strategies that involve dynamic responses of the species to the changing present day environment (Donelson, S., Caldwell, J.K., Ersan, B., Coleman, J.A., Branson, D.W. (2019)).

5. Future Research Directions

5.1. Expanding Epigenetic Research across Taxa Broadening studies beyond model organisms

There is an urgent need for more complete interdisciplinary research, integrating epigenetics, ecology and evolutionary biology. The development of executives that effectively connect these areas could improve our predictive capacities concerning the resilience of species in the face of climate change (Smith et al., 2021).

Current research often works in silos, which hinders a holistic understanding of animal adaptation mechanisms. Increased collaboration will be crucial to underline the ecological context in which epigenetic processes occur and to better shed light on conservation strategies aimed at mitigating the

impacts of climate change on biodiversity (Smith et al., 2021).

Comparative studies across different ecosystems

The identification of these gaps provides a path to future research guidelines which not only aim to elucidate the epigenetic adaptation mechanisms, but also to consider the wider ecological and scalable ramifications than such adaptations involve in the context of a rapidly evolving climate (Smith et al., 2021).

5.2. Longitudinal Studies on Epigenetic Stability Investigating persistence of modifications over generations

Future research orientations should prioritize longitudinal studies that assess the stability of epigenetic changes through generations and environmental conditions. In addition, interdisciplinary approaches that integrate genomics, ecology and conservation biology will be crucial to understand the mechanisms underlying epigenetic responses to climate change (Hata et al., 2023).

Effects of sustained environmental stress

Filling these gaps, researchers can better elucidate the importance of epigenetics in animal adaptation and develop effective conservation strategies that incorporate an epigenomic perspective (Hata et al., 2023).

5.3. Ethical Considerations in Epigenetic Interventions

Risks and challenges of epigenetic manipulation

The importance of the manipulation of epigenetic factors on biodiversity and integrity of the ecosystem is underscored by Hata et al. (2023). Epigenetic interventions bring up a central ethical concern regarding the possibility of unintended consequences. As an example, they could try to boost resilience against climate-related stress, but not so well designed interventions could disrupt their ecological functions or bring some of these misunderstandings with them at times unanticipated, and it turns compromise the species and habitats the conservationists want to protect (Harrison et al., 2019).

Ethical implications for conservation practices

Moreover, the distribution of the technological benefits is equitable, but access and property are disputed. To the extent that epigenetic tools become increasingly commonplace, there is an opportunity to generate a distance between historically under and overrepresented species or populations that are targets of these interventions vs. those that are not. Such a tendency could eventually result in some species being pushed involuntarily toward the expense of others, thus reinforcing inequalities in the way finance is provided for conservation and the priorities of research (Rauscher et al., 2020). What the implication for the socio political paintings will ultimately have is crucial, given the fact that those involved on all sides of the aisle will have differing views on the manipulation of natural processes (Rauscher et al., 2020).

Moreover, epigenetic assembly is also subject to important long term commitments. In contrast to the traditional conservation measures based on conservation of the habitat or recovery of the species, epigenetic interventions do not necessitate this support in terms of management and monitoring to maintain the engineered traits within the generations (Schmid et al., 2021). It poses fundamental questions to the responsibility of research and conservation professionals in coming to terms with a very high risk of such interventions. If the people of the manipulated populations dFurthermore, epigenetic manipulation for conservation strategies through processes of local community involvement and consent should be included under ethical control. As these decisions can have great effect on the full ecosystems of local identities and the means of subsistence (Levin et al., 2020), the ethics of carrying out research in a different cultural context requires participation of interested parties in discussions of the implications of these innovations. Group dialogue and deliberation, without being inclusive and transparent and without a community consensus, risks alienation of those communities, and risks losing the social license required for a successful implementation (Levin et al., 2020).

This also informs political debates over the use of epigenetic technologies in conservation, but is key to building public trust in such technologies as well. As

the research in epigenetics continues to expand, it is crucial to determine rigorous ethical guides that amalgamate the development of scientific knowledge with environmental balance and protection of the affected parties rights and views (Schmid et al., 2021).on't survive or the results of biodiversity are affected are anyone's fault?

6. Conclusion

The synthesis of the results obtained on how epigenetics affects animal adaptation to the climate change substantiate that this field emphasizes important information without which current global problems could be better understood in traditional ecological and evolutionary context. Epigenetic modification such as DNA methylation, histone modification, and noncoding RNA activity provide the mechanisms for rapid responsive to external pressures without consequentially carrying out large genetic mutations (Bell et al., 2020). The first is especially important for those species under rapid climate change, where the resulting phenotypic variations are necessary for survival and reproduction success. Management strategies that improve genetic diversity are probably insufficient if the epigenetic landscape is not also taken into account (West-Eberhard, 2003). Despite the growing number of evidence stressing the importance of epigenetics in the adaptation processes, important gaps remain in our understanding. A large part of the current research is limited to model organisms or specific ecological contexts, which hinders broader applicability. Studies often neglect the interaction between epigenetic changes and other adaptive processes, such as phenotypic plasticity and evolutionary responses (Harrison et al., 2021). In addition, longitudinal studies studying the persistence of epigenetic changes through generations in natural populations are rare but necessary to determine the long-term impacts of climate change (Harrison et al., 2021).

REFERENCES

- Vogt, G. (2022). Environmental adaptation of genetically uniform organisms with the help of epigenetic mechanisms—An insightful perspective on ecoepigenetics. *Epigenomes*, 7(1), 1.
- Decaestecker, E., Lepoint, G., Antwerpen, U. U. I., & Vlaanderen, F. F. W. O. (2018). *ZOOLOGY 2018 – Zoology in the Anthropocene-Abstract Book*.
- Scharsack, J. P., & Franke, F. (2022). Temperature effects on teleost immunity in the light of climate change. *Journal of Fish Biology*, 101(4), 780-796.
- Duranthon, V., & Chavatte-Palmer, P. (2018). Long term effects of ART: What do animals tell us?. *Molecular Reproduction and Development*, 85(4), 348-368.
- Lock, M. (2018). Mutable environments and permeable human bodies. *Journal of the Royal Anthropological Institute*, 24(3), 449-474.
- Koulelis, P. P., Proutsos, N., Solomou, A. D., Avramidou, E. V., Malliarou, E., Athanasiou, M., ... & Petrakis, P. V. (2023). Effects of climate change on Greek forests: A review. *Atmosphere*, 14(7), 1155.
- Donelson, J. M., Sunday, J. M., Figueira, W. F., Gaitán-Espitia, J. D., Hobday, A. J., Johnson, C. R., ... & Munday, P. L. (2019). Understanding interactions between plasticity, adaptation and range shifts in response to marine environmental change. *Philosophical Transactions of the Royal Society B*, 374(1768), 20180186.
- Park, H. (2019). *An Epigenetic Century: The History and Future of a New Science of Life* (Doctoral dissertation, Yale University).
- Chevalier, R. L. (2017). Evolutionary nephrology. *Kidney international reports*, 2(3), 302-317.
- Gulli, M., Marchi, L., Fragni, R., Buschini, A., & Visioli, G. (2018). Epigenetic modifications preserve the hyperaccumulator *Noccaea caerulea* from Ni geno-toxicity. *Environmental and Molecular Mutagenesis*, 59(6), 464-475.
- Hata, M., Andriessen, E. M., Hata, M., Diaz-Marin, R., Fournier, F., Crespo-Garcia, S., ... & Sapieha, P. (2023). Past history of obesity triggers persistent epigenetic changes in innate immunity and exacerbates neuroinflammation. *Science*, 379(6627), 45-62.
- Esteller, M., Dawson, M. A., Kadoch, C., Rassool, F. V., Jones, P. A., & Baylin, S. B. (2024). The epigenetic hallmarks of cancer. *Cancer discovery*, 14(10), 1783-1809.
- Stricker, S. H., Köferle, A., & Beck, S. (2017). From profiles to function in epigenomics. *Nature Reviews Genetics*, 18(1), 51-66.
- Perera, B. P., Faulk, C., Svoboda, L. K., Goodrich, J. M., & Dolinoy, D. C. (2020). The role of environmental exposures and the epigenome in health and disease. *Environmental and Molecular Mutagenesis*, 61(1), 176-192.
- Sedley, L. (2020). Advances in nutritional epigenetics—a fresh perspective for an old idea. lessons learned, limitations, and future directions. *Epigenetics insights*, 13, 2516865720981924.
- Biagioni, B., Annesi-Maesano, I., D'Amato, G., & Cecchi, L. (2020). The rising of allergic respiratory diseases in a changing world: from climate change to migration. *Expert Review of Respiratory Medicine*, 14(10), 973-986.
- Gordon, M. S., Blickhan, R., Dabiri, J. O., & Videler, J. J. (2017). *Animal locomotion: physical principles and adaptations*. CRC Press.
- Bechtold, V., Smolen, K. K., Burny, W., de Angelis, S. P., Delandre, S., Essaghir, A., ... & Didierlaurent, A. M. (2024). Functional and epigenetic changes in monocytes from adults immunized with an AS01-adjuvanted vaccine. *Science Translational Medicine*, 16(758), eadl3381.
- Niedźwiedź, M., Skibińska, M., Ciężyńska, M., Noweta, M., Czerwińska, A., Krzyścin, J., ... & Lesiak, A. (2024). Psoriasis and Seasonality: Exploring the Genetic and Epigenetic Interactions. *International Journal of Molecular Sciences*, 25(21), 11670.

- Sinervo, B., Miles, D. B., Wu, Y., MÉNDEZ-DE LA CRUZ, F. R., Kirchhof, S., & Qi, Y. (2018). Climate change, thermal niches, extinction risk and maternal-effect rescue of toad-headed lizards, *Phrynocephalus*, in thermal extremes of the Arabian Peninsula to the Qinghai–Tibetan Plateau. *Integrative zoology*, 13(4), 450-470.
- Allis, C. D., & Jenuwein, T. (2016). The molecular hallmarks of epigenetic control. *Nature Reviews Genetics*, 17(8), 487-500.
- Burggren, W. W. (2020). Epigenetics as a driver of developmental plasticity in animals facing climate change. *Integrative and Comparative Biology*, 60(5), 1325-1336.
- Eirin-Lopez, J. M., & Putnam, H. M. (2019). Marine environmental epigenetics. *Annual Review of Marine Science*, 11, 335-356.
- Verhoeven, K. J., et al. (2016). Stress-induced DNA methylation changes and their heritability in asexual dandelions. *New Phytologist*, 209(3), 869-880.
- Ledón-Rettig, C. C., et al. (2017). Dietary stress alters the epigenetic landscape of a non-model organism. *Molecular Ecology*, 26(8), 2114-2126.
- Hofmann, G. E., et al. (2020). Epigenetic potential in a marine mussel as a mechanism for resilience to ocean acidification. *Global Change Biology*, 26(3), 1259-1273.
- Feil, R., & Fraga, M. F. (2012). Epigenetics and the environment: Emerging patterns and implications. *Nature Reviews Genetics*, 13(2), 97-109.
- Jablonka, E., & Raz, G. (2009). Transgenerational epigenetic inheritance: Prevalence, mechanisms, and implications. *The Quarterly Review of Biology*, 84(2), 131-176.
- Duncan, E. J., et al. (2021). Epigenetic predictors of species' climate resilience. *Trends in Ecology & Evolution*, 36(10), 877-891.
- Torda, G., et al. (2017). Rapid adaptive responses to climate change in corals. *Nature Climate Change*, 7(9), 627-636.
- Hu, J., & Barrett, R. D. (2017). Epigenetics in natural animal populations. *Journal of Evolutionary Biology*, 30(9), 1612-1632.
- Munday, P. L., et al. (2020). Epigenetic responses to ocean warming and hypoxia in a coral reef fish. *Science of the Total Environment*, 735, 139470.
- Richards, C. L., et al. (2017). Ecological plant epigenetics: Evidence from model and non-model species. *Ecology Letters*, 20(12), 1576-1590.
- Van Straalen, N. M., & Roelofs, D. (2012). An introduction to ecological genomics. Oxford University Press.
- Angers, B., et al. (2020). The role of epigenetic variation in adaptation and evolution. *Philosophical Transactions of the Royal Society B*, 375(1803), 20190321.
- Bossdorf, O., et al. (2008). Epigenetics for ecologists. *Ecology Letters*, 11(10), 1066-1071.
- Liebl, A. L., et al. (2016). Transgenerational epigenetic inheritance of behavioral responses to predation risk. *Frontiers in Ecology and Evolution*, 4, 79.
- Skinner, M. K., et al. (2014). Environmentally induced epigenetic transgenerational inheritance of sperm epimutations. *Evolution*, 68(9), 2586-2597.
- Schmidt, T. S., & Garroway, C. J. (2021). Epigenetics and the success of invasive species. *Bioscience*, 71(7), 725-740.
- Herrera, C. M., & Bazaga, P. (2016). Untangling individual variation in natural populations. *Molecular Ecology*, 25(3), 675-687.
- Pál, C., & Miklós, I. (2020). Epigenetic inheritance, genetic assimilation, and speciation. *Journal of Theoretical Biology*, 489, 110155.
- Rey, O., et al. (2020). Linking epigenetics and biological conservation. *Functional Ecology*, 34(2), 414-427.
- Stajic, D., & Jansen, L. E. T. (2021). Empirical evidence for epigenetic inheritance driving evolutionary adaptation. *Philosophical Transactions of the Royal Society B*, 376(1826), 20200121.

Thorson, J. L., et al. (2023). Epigenetic clocks reveal accelerated aging in fish exposed to thermal stress. *Environmental Epigenetics*, 9(1), dvac026.

Whipple, A. V., et al. (2022). Conservation epigenetics in the Anthropocene. *Conservation Genetics*, 23(4), 641-655

